



# HP-UX 11i Support Matrix

Dec 16, 2011



## Notice of Use

The tables on the following pages contain information about HP-UX 11i versions and lifecycles dates for HP 9000 and HP Integrity servers.

This document:

- Covers all versions of HP-UX 11i currently supported
- Expires 90 days from its last update

This is NOT an authoritative document. Please check with your HP or HP partner representative with any questions. For the latest version of this support matrix, please refer to [www.hp.com/go/hpuxservermatrix](http://www.hp.com/go/hpuxservermatrix).

Contents and specifically all future dates are subject to change without notice. HP is in no way obligated to provide support until the dates listed in this document.

Changes since the last version of this matrix are indicated in red.

## HP-UX 11i version and date information

HP UX 11i version and date information <i>(Note: Integrity servers are not supported on HP UX 11.0 and 11i version 1)</i>				
HP-UX 11i version	HP UX 11i v1 (B.11.11) HP 9000 only	HP UX 11i v1.6 (B.11.22) Integrity only	HP UX 11i v2 (B.11.23) HP 9000 and HP Integrity	HP UX 11i v3 (B.11.31) HP 9000 and HP Integrity
HP-UX 11i update (fusion) releases	June 2001, Sept 2001, Dec 2001, March 2002, June 2002, Sept 2002, Dec 2002, March 2003, June 2003, Sept 2003, Dec 2003, June 2004, Dec 2004, Sept 2005, Dec 2006	N/A	September 2004, May 2005, December 2005, March 2006, June 2006, September 2006, June 2007, December 2007, June 2008	September 2007, March 2008, September 2008, March 2009, September 2009, March 2010, September 2010, March 2011, <b>September 2011</b>
HP-UX 11i introduction date (1st release in version)	01-Dec-00	29-Jun-02	01-Sep-03	20-Feb-07
HP-UX 11i ship date (1st release in version)	01-Dec-00	29-Sep-02	29-Sep-03	20-Feb-07
HP-UX 11i obsolescence date (Last dated software offered for sale)	31-Dec-09 *	30-Apr-04	31-Dec-10 **	31-Dec-14 (HP 9000) and 31-Dec-2017 (HP Integrity)
End of factory support *Product engineering no longer available from the HP factory, but limited support may be offered for an additional duration for the version	31-Dec-13	Technology release: customers transitioned to 11.23	31-Dec-13	31-Dec-20 (HP 9000) and 31-Dec-2022 (HP Integrity)

\*Final planned Quality Pack (QPK) provided for HP-UX 11i v1 at this time

\*\* Final planned Quality Pack (QPK) provided for HP-UX 11i v2 at this time

For older HP-UX releases and a summary chart, please see below.

Older HP-UX Releases				
Public Name	Lab Name	Release Date	Off CPL (Obsolescence)	End of Support
HP-UX 10.20 (HP 9000)	10.20	August 1996	June 2002	June 2003
HP-UX 11.00 (HP 9000 only)	11.0	November 1997	March 2004	December 2006
HP-UX 11i v1 (HP 9000 only)	11.11	December 2000	December 2009	December 2013
HP-UX 11i v2 (HP 9000 & Integrity)	11.23	October 2003 (Oct 2004 for HP 9000)	December 2010	December 2013
HP-UX 11i v3 (HP 9000 & Integrity)	11.31	February 2007	December 2014 (HP 9000) and December 2017 (HP Integrity)	December 2020 (HP 9000) and December 2022 (HP Integrity)

# HP-UX 11i version support on HP Integrity servers

HP Integrity systems									
HP Integrity server support and HP-UX 11i support by version and server model. <i>Find HP Superdome information in the Integrity or HP 9000 Superdome sections of this document.</i>									
HP Integrity server specifics with introduction and obsolescence dates. (Last date server offered for sale)						Further service extensions are possible beyond the minimum support commitment <sup>5</sup>	Versions of HP UX 11i supported on HP Integrity servers configured with Intel Itanium microprocessors		
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Introduction date	Obsolescence date (Last date server available for sale—Off CPL)	Minimum support commitment	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
BL60p	AD000A AD106A	Itanium	Itanium 2 (1.6 GHz w/ 3 MB L3 cache and 200 MHz FSB)/ Mad9M/ zx1	7-Nov-05	01-Jan-08	5 years after obsolescence date	No	Yes	No
BL860c	AD323A AD217A AD217B AD323B	Itanium	2p/2c 1.6GHz/12MB  2p/4c 1.4GHz/12MB  2p/4c 1.6GHz/18MB	15-Feb-07	30-Jun-11	5 years after obsolescence date	No	Yes	Yes
BL870c	AH232A	Itanium	1.42GHz/12MB 1.6GHz/18MB 1.6GHz/24MB	22-Jan-08	30-Jun-11	5 years after obsolescence date	No	Yes	Yes
BL860c i2	AD399A	Itanium	2c 1.6GHz/10MB	27-Apr-10	TBD	5 years after obsolescence date	No	No	Yes
BL870c i2	AH383A AM329A	Itanium	4c 1.33GHz/16MB 1.6GHz/20MB	27-Apr-10	TBD	5 years after obsolescence date	No	No	Yes
BL890c i2	AH384A AM330A	Itanium	1.73GHz/24MB	27-Apr-10	TBD	5 years after obsolescence date	No	No	Yes
cx2600 Telecom	AB216A	Itanium Mad6M	Itanium 2 (1.3 GHz w/ 3 MB integrated level 3 cache)	5-Jan-04	1-Nov-06	5 years after obsolescence date	Yes	Yes	Yes
cx2620 Telecom	AB402A	Itanium Mad6M	1.4GHz/12MB	1-Oct-06	1-Sep-09	5 years after obsolescence date			

rx1600	AB218A	Itanium Madison		1-Feb-04	1-Oct-05	5 years after obsolescence date	No	Yes	Yes			
	AB219A			1-Feb-04	1-Oct-05							
	A9901A			1-Feb-04	1-Oct-05							
	AB310A			1-Feb-04	1-May-05							
Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Introduction date	Obsolescence date (Last date server available for sale—Off CPL)	Minimum support commitment	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity			
rx1620	AB430A AB431A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB. Also (1.6/3/533)/ Madison 9M	1-Nov-04	AB430A: 1-Apr-07 AB431A: 1-Oct-07	5 years after obsolescence date	No	Yes	Yes			
rx1620 2X rx1620 1X Bundle Solutions	AB568A AB569A	Itanium	1.3 GHz w/3 MB cache and 400 MHz FSB	1-Nov-04	1-Feb-06	5 years after obsolescence date	No	Yes	Yes			
rx2600	AB323A	Itanium	1.0 GHz w/1.5 MB cache	24-Nov-03	1-May-05	5 years after obsolescence date	Yes	Yes	Yes			
	AB329A			24-Nov-03								
	A6870B			14-Apr-03								
	AB209A			16-Jun-03								
	AB324A			24-Nov-03								
	A6873B			14-Apr-03								
	AB210A			16-Jun-03								
rx2620	AB333A	Itanium Mad9M and Montecito	1.3GHz/3M	1-Nov-04	1-Oct-07	5 years after obsolescence date	No	Yes	Yes			
	AB331A		1.6GHz/6M	20-Dec-04	1-Apr-07							
	AB332A		1.6GHz/3M	1-Nov-04	1-Oct-07							
rx2620 Bundle Solutions	AB356A		1.6Ghz	1-Nov-04	1-Feb-06	5 years after obsolescence date	No	Yes	Yes			
	AB393A		1.3/3M									
	AB357A		1.3/3									
	AB394A		1.3/3									
	AB386A		1.6/3									
	AB387A		1.6/6									
	AD152A		1.4GHz/12							1-Jul-06	1-Oct-07	5 years after obsolescence date
	AD153A		1.6GHz/18									
rx2660	AB419A	Itanium	1.42G/12MB	15-Feb-07	30-Jun-12	5 years after	No	Yes	Yes			

	AD245A		1.6G/6MB	28-Nov-07		obsolescence date			
	AH234A		1.6G/12MB	1-Nov-07					
	AH235A		1.66G/18MB	1-Nov-07					
rx2800 i2	AH395A	Itanium	Itanium 9310 2c 1.6-GHz/ 10-MB	15-Nov-10	30-Nov-13	5 years after obsolescence date	No	No	Yes
	AH396A		Itanium 9320 4c 1.46-GHz/ 16-MB						
rx3600	AB463A	Itanium	1.42GHz/12MB	01-Sep-06	31-Dec-11	5 years after obsolescence date	No	Yes	Yes
	AB596A		1.66GHz/18MB	28-Nov-07					
rx6600	AB464A	Itanium	1.42GHz/12MB	01-Aug-06	31-Dec-11	5 years after obsolescence date	No	Yes	Yes
	AD132A		1.6GHz/18MB						
	AD133A		1.6GHz/24MB						
	AD134A								

Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Introduction date	Obsolescence date (Last date server available for sale—Off CPL)	Minimum support commitment	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx4610	A6153A	Itanium -Merced	733 MHz	28-Nov-07	1-Aug-02	5 years after obsolescence date	Yes	Yes	No
	A6447A		800 MHz						
rx4640 rx4640 bundles Base FAST One FAST Two FAST One FAST Four mx2 FAST	A6961A	Itanium -Mad9M	1.3/3	1-Sep-03	1-Jul-04	5 years after obsolescence date	Yes	Yes	Yes
	A6962A		1.5/6						
	AB370A			1-Apr-04	1-Sep-05				
	AB370B			1-Nov-04	1-Oct-07				
	AB530A		1.6/4	1-Nov-04	1-Feb-06				
	AB531A		1.5/4	1-Nov-04	1-Feb-06				
	AB532A		1.6/6	1-Nov-04	1-Feb-06				
	AB533A		1.6/9	1-Nov-04	22-Apr-06				
	AB373A		mx2	1-Apr-04	16-Jan-06				
rx5670	A6837A	Itanium -McKinley Madison	900MHz	9-Jun-02	1-Nov-03	5 years after obsolescence date	Yes	Yes	Yes
	A6837B		1.3 Ghz	14-Apr-03	1-Feb-05				
	A6838A		1.0 GHz	9-Jun-02	23-Jun-03				
	A6838B		1.5 Ghz	14-Apr-03	1-Feb-05				

rx7620 Server Solution 2-way FAST 4-way FAST 6-way FAST 8-way FAST 12-way FAST 16-way FAST	A7027A	Itanium - Mad6M Mad9M mx2 sx1000 chipset	1.1GHz mx2 1.5GHz/4MB 1.6GHz/6MB	15-Sep-03	1-Apr-07	5 years after obsolescence date	Yes	Yes	Yes
	AB201A			15-Sep-03	1-Apr-07				
	AB202A			15-Sep-03	1-Apr-07				
	AB203A			15-Sep-03	1-Apr-07				
	AB204A			15-Sep-03	1-Apr-07				
	AB343A			1-May-04	1-Jan-07				
	AB344A			1-May-04	1-Jan-07				
rx7640 Server Solution 2-core FAST 4-core FAST 6-core FAST 8-core FAST 12-core FAST 16-core FAST	AB312A	Itanium -Mad 9M Montecito Montvale sx2000 chipset	Mad 9M 1.6 GHz /6 MB L3 cache Montecito 1.4GHz /12MB cache Montecito 1.6GHz /18MB cache Montvale 1.6GHz /24MB cache Montvale 1.6GHz /18MB cache	1-Mar-06 1-Nov-07 (Montvale)	31-Mar-12	5 years after obsolescence date	No	Yes	Yes
	AD064A			1-Aug-07					
	AB447A			31-Mar-12					
	AD242A			1-Aug-07					
	AB448A			31-Mar-12					
	AB449A			1-Jan-11					
	AB450A			31-Mar-12					

Server model (Rows in order by server model)	Product number	Processor type(s)	Chipset/ processor specifics	Introduction date	Obsolescence date (Last date server available for sale—Off CPL)	Minimum support commitment	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23) HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and HP Integrity
rx8620 Server solution 2-core FAST 4-core FAST 8-core FAST 12- core FAST 16-core FAST 24-core FAST 32-core FAST	A7026A	Itanium	1.1 GHz, 1.3, 1.5 GHz w/ 4 MB cache, 1.6/6 Madison	15-Sep-03	1-Apr-07	5 years after obsolescence date	Yes	Yes	Yes
	AB236A			15-Sep-03	1-Apr-07				
	AB237A			15-Sep-03	1-Apr-07				
	AB238A			15-Sep-03	1-Apr-07				
	AB239A			15-Sep-03	1-Apr-07				
	AB240A			15-Sep-03	1-Apr-07				
	AB341A			1-May-04	1-Jan-07				
	AB342A			1-May-04	1-Jan-07				
rx8640 Base system solution 2-core FAST 4-core FAST 8-core FAST 16-core FAST 24-core FAST 32-core FAST	AB297A	Itanium	Mad9M (1.6 GHz w/ 6 MB L3 cache) with sx2000 chipset, Montecito 1.4GHz/12, 1.6GHz/18, 1.6GHz/24 Montvale 1.4GHz/12, 1.6GHz/18, 1.6GHz/24	1-Mar-06 1-Nov-07 (Montvale)	31-Mar-12	5 years after obsolescence date	No	Yes	Yes
	AD065A			1-Aug-07	5 years after obsolescence date				
	AB442A			31-Mar-12	5 years after obsolescence date				
	AB443A			31-Mar-12	5 years after obsolescence date				
	AB444A			31-Mar-12	5 years after				

						obsolescence date			
	AB445A				31-Mar-12	5 years after obsolescence date			
	AB446A				31-Mar-12	5 years after obsolescence date			
rx9610 Base Server solution	A6754A	Itanium -Merced		29-May-01	1-Dec-02	5 years after obsolescence date	No (rx9610 required HP-UX 11i v1.5)	No	
	A6755A								

**HP Integrity Superdome - both HP 9000 and Integrity Superdome systems are covered under solution product A5200A**

**HP Integrity Superdome - both HP 9000 and Integrity Superdome systems are covered under solution product A5200A**

**This section presents HP Integrity Superdome Servers (with Intel Itanium microprocessors)**

HP Integrity Superdome Server specifics with introduction and obsolescence dates.  
 (Last date server offered for sale)  
 All Superdome models run HP-UX 11i v2 B.11.23 and v3.  
 No model runs HP-UX 11i v2 B.11.22 or older releases of HP-UX.

Further service extensions are possible beyond the minimum support commitment<sup>5</sup>

Cabinet/Enclosure product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-cell board intro	Chipset- cell board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date— Off CPL	Minimum support commitment
A6113A	16 processors	1-Aug-00	sx1000 - Pinnacles	A6866A - sx1000 Pinnacles cell board	1-May-03	1-Apr-09	Mad9M 1.6 Ghz /6MB cache	AD003A	1-Dec-04	1-Apr-08	5 years after obsolescence date
A5201A	32 processors						Mad6M 1.5Ghz	A6924A	1-May-03	1-Apr-06	5 years after obsolescence date
A5202A	64 processors						mx2 -1 proc	AB522A	1-Dec-04	1-Jan-07	5 years after obsolescence date
							mx2 -2 proc	A6868A	1-Dec-03	1-Apr-06	5 years after obsolescence date
A9833A	16 processors	1-Feb-06	sx2000 -Arches	A9837A - sx2000 Arches cell board	1-Feb-06	1-Jan-11	Mad9M 1.6 Ghz/6MB cache	AD003A	1-Dec-04	1-Apr-08	5 years after obsolescence date
A9834A	32 processors						Montecito 1.6 Ghz/18 MB cache	AB406A	1-Aug-06	1-Apr-09	5 years after obsolescence date
A9835A	64 processors						Montecito 1.6Ghz/24 MB cache	A9840A	1-Aug-06	1-Apr-09	5 years after obsolescence date
							Montvale 1.6GHz/18MB cache	AD371A	1-Nov-07	31-Mar-12	5 years after obsolescence date
							Montvale 1.6GHz/24MB cache	AD374A	1-Nov-07	31-Mar-12	5 years after obsolescence date

## HP Integrity Superdome 2

This section presents HP Integrity Superdome 2 Servers

HP Integrity Superdome 2 Server specifics with introduction and obsolescence dates.  
 (Last date server offered for sale)  
 Superdome 2 models run only HP-UX 11i v3.

Further service extensions are possible beyond the minimum support commitment<sup>5</sup>

Enclosure product #	Enclosure Capacity	System intro date	Chipset	Server blade	Chipset-intro	Chipset-obsolescence date	Server blade processor	Server blade product #	Server Blade intro date	Server blade obsolescence date—Off CPL	Minimum support commitment
AH352A (SD2-8s)	8 server blades (2p/4c per blade)	Aug 2010	sx3000	i2	Aug 2010	NA	Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/20MB cache	AH387A	Aug 2010	NA	5 years after obsolescence date
							Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/24MB cache	AH388A	Aug 2010	NA	5 years after obsolescence date
AH337A (SD2-16s)	8 server blades (2p/4c per blade)	Aug 2010	sx3000	i2	Aug 2010	NA	Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/20MB cache	AH387A	Aug 2010	NA	5 years after obsolescence date
							Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/24MB cache	AH388A	Aug 2010	NA	5 years after obsolescence date
AH353A (SD2-32s)	8 server blades (2p/4c per blade)	Aug 2011	sx3000	i2	Aug 2010	NA	Intel Itanium 9340 4c/ 1.60 GHz up to 1.73 GHz/20MB cache	AH387A	Aug 2010	NA	5 years after obsolescence date
							Intel Itanium 9350 4c/ 1.60 GHz up to 1.86 GHz/24MB cache	AH388A	Aug 2010	NA	5 years after obsolescence date

## HP-UX 11i version support on HP 9000 servers

### HP 9000 systems

HP 9000 system specifics with introduction and obsolescence dates (Last date server offered for sale)					Further service extensions are possible beyond the minimum support commitment <sup>5</sup>	Versions of HP-UX 11i supported on HP 9000 servers				
Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date—Off CPL	Minimum support commitment	11.01, 2	HP-UX 11i v1 (B.11.11)2,3 Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23)2,3 HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
A180	A5182A	PA-7300LC	1-Oct-98	1-Aug-01	5 years after obsolescence date	32-bit	32	No	No	No
A180C	A5183A	PA-7300LC	1-Oct-98	1-Aug-01	5 years after obsolescence date	32-bit	32	No	No	No
A400 (renamed rp2400 on 1-March-2002)	A6109A	PA-8500 PA-8600	1-Jun-00	1-Jan-01	5 years after obsolescence date	64	64	No	64	No
	A6109B		1-Nov-00	4-Nov-02	5 years after obsolescence date					
A500 (see rp2450)					5 years after obsolescence date					
D200	A3262A	PA-7100LC	1-Nov-95	1-Feb-98	5 years after obsolescence date	N/A	32	No	No	No
D210	A3331A	PA-7100LC	1-Nov-95	1-Feb-98	5 years after obsolescence date	N/A	32	No	No	No
D220	A3572A	PA-7300LC	1-Dec-96	1-Jun-00	5 years after obsolescence date	32	32	No	No	No
D230	A3574A	PA-7300LC	1-Dec-96	1-Jun-00	5 years after obsolescence date	32	32	No	No	No
D250	A3332A A3333A A3343A	PA-7200	1-Nov-95	1-Feb-98	5 years after obsolescence date	32	32	No	No	No
D260	A3474A	PA-7200	1-May-96	1-Feb-98	5 years after obsolescence date	32	32	No	No	No
D270	A3473A A3558A	PA-8000	1-Oct-96	1-Jun-00	5 years after obsolescence date	32	32 and 64	No	No	No
D280	A3573A A3575A	PA-8000	1-Aug-97	1-Jun-00	5 years after obsolescence date	32	32 and 64	No	No	No
D310	A3268A	PA-7100LC	1-Nov-95	1-Feb-98	5 years after	32	32	No	No	No

					obsolescence date					
D320	A3576A	PA-7300LC	1-Dec-96	1-Sep-01	5 years after obsolescence date	32	32	No	No	No
D330	A3578A	PA-7300LC	1-Dec-96	1-Sep-01	5 years after obsolescence date	32	32	No	No	No
D350	A3334A A3335A	PA-7200	1-Nov-95	1-Feb-98	5 years after obsolescence date	32	32	No	No	No
<b>Server model (Rows in order by server model)</b>	<b>Product number</b>	<b>Processor description</b>	<b>Introduction date</b>	<b>Obsolescence date—Off CPL</b>	<b>Minimum support commitment</b>	<b>11.01, 2</b>	<b>HP-UX 11i v1 (B.11.11)2,3 Renamed as v1 on Jan. 1, 2003</b>	<b>HP-UX 11i v2 (B.11.22) Integrity only</b>	<b>HP-UX 11i v2 (B.11.23)2,3 HP 9000 and Integrity</b>	<b>HP-UX 11i v3 (B.11.31) HP 9000 and Integrity</b>
D360	A3476A	PA-7200	1-May-96	1-Feb-98	5 years after obsolescence date	32	32	No	No	No
D370	A3560A A3562A	PA-8000	1-Oct-96	1-Jun-00	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
D380	A3577A A3579A	PA-8000	1-Aug-97	1-Nov-00	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
D390	A4903A A4904A	PA-8200	1-Jul-98	1-Sep-01	5 years after obsolescence date	N/A	32 and 64	No	No	No
Kx00		PA-7200	1-Mar-95	1-Dec-96	5 years after obsolescence date	32	32	No	No	No
Kx10		PA-7200	1-Sep-95	1-Dec-97	5 years after obsolescence date	32	32	No	No	No
Kx20		PA-7200	1-Mar-96	1-Sep-99	5 years after obsolescence date	32	32	No	No	No
K260	A3205A	PA-8000	1-Jul-96	1-Sep-98	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
K360/K460	A5140A	PA-8000	1-Jun-98	1-Jun-00	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
	A3284A		1-Jul-96							
K250/K450	A3463A	PA-8000	1-Jul-96	1-Apr-98	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
	A3464A									
K370 K570	A3663B	PA-8200	1-Jun-98	1-Nov-00	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
	A3641A		1-May-97							
K380 K580	A4869B	PA-8200	1-Jun-98	1-Sep-01	5 years after obsolescence date	32 and 64	32 and 64	No	No	No
	A4837A		1-Feb-98							
L1000 (renamed rp5400 on Nov. 1, 2001)	A5576A	PA-8500 PA-8600	1-Oct-99	1-May-02	5 years after obsolescence date	64	64	N/A	see rx5400	No
	A5576B		1-Dec-00							
L1500 (renamed rp5430 on Nov. 1, 2001)	A6797B	PA-8600	1-Nov-01	5-Sep-05	5 years after obsolescence date	64	64	N/A	see rx5430	No

L2000 (renamed rp5450 on Nov. 1, 2001)	A5191A	PA-8500 PA-8600	1-Oct-99	1-May-02	5 years after obsolescence date	64	64	N/A	see rx5450	No
	A5191B		1-Dec-00							
L3000 (renamed rp5470 on Nov. 1, 2001)	A6144A	PA-8600	1-Nov-00	1-Jan-02	5 years after obsolescence date	64	64	N/A	see rx5470	No
	A6144B		1-Nov-01	5-Sep-05	5 years after obsolescence date					
N4000	A3639A	PA-8500	1-Apr-99	1-Jul-00	5 years after obsolescence date	64	64	N/A	64	No
	A3639B		1-Mar-00	1-Nov-01						
R380	A5176A	PA-8000/ PA-8200	1-Oct-98	1-Nov-00	5 years after obsolescence date	N/A	32 and 64	N/A	N/A	No
	A5177A		1-Oct-98	1-Nov-00						
<b>Server model (Rows in order by server model)</b>	<b>Product number</b>	<b>Processor description</b>	<b>Introduction date</b>	<b>Obsolescence date—Off CPL</b>	<b>Minimum support commitment</b>	<b>11.01, 2</b>	<b>HP-UX 11i v1 (B.11.11)2,3 Renamed as v1 on Jan. 1, 2003</b>	<b>HP-UX 11i v2 (B.11.22) Integrity only</b>	<b>HP-UX 11i v2 (B.11.23)2,3 HP 9000 and Integrity</b>	<b>HP-UX 11i v3 (B.11.31) HP 9000 and Integrity</b>
R390	A5178A, A5179A	PA8000/ PA8200	1-Oct-98	1-Sep-01	5 years after obsolescence date	N/A	32 and 64	N/A	N/A	No
rp2405	A7121A, A7122A	PA-8700 650 Mhz	1-Sep-02	1-Feb-05	5 years after obsolescence date	64	64	N/A	64	No
rp2430	A6889A	PA-8700	1-Mar-02	1-Feb-05	5 years after obsolescence date	64	64	N/A	64	No
rp2450	A5570A	PA-8600	1-May-00	1-Jan-01	5 years after obsolescence date	64	64	No	64	No
	A5570B		1-Sep-00	13-Oct-03	5 years after obsolescence date					
rp2470	A6890A	PA-8700	1-Mar-02	1-Feb-05	5 years after obsolescence date	64	64	N/A	64	No
rp3410	A7136B	PA-8800	12-Jul-04	1-Jan-06	5 years after obsolescence date	N/A	64	N/A	64	Yes
	A9954A	PA-8900	1-May-05	1-Jan-09						
rp3440	A7137A	PA-8800	1-Feb-04	1-Jan-09	5 years after obsolescence date	N/A	64	N/A	64	Yes
	A9948A		19-Jul-04	1-Jan-06						
	A9949A									
	A9952A	PA-8900	1-May-05	1-Jan-09						
	A9953A									
rp4410	A9955A A9956A	PA-8900	1-May-05	1-Jan-09	5 years after obsolescence date	N/A	64	N/A	64	Yes
rp4440	A7124A	PA-8800 PA-8900	24-Nov-03	1-Aug-04	5 years after obsolescence date	N/A	64	N/A	64	Yes
	A7134A		1-Feb-04							
	A7124B		14-Jun-04	1-Jan-06						

	A7134B									
	A9950A		1-May-05	1-Jan-09	5 years after obsolescence date					
	A9951A									
HP server rp5400 (formerly L1000)	A5576B	PA-8500 PA-8600	1-Dec-00	1-May-02	5 years after obsolescence date	64	64	N/A	64	No
rp5405	A7117A A7118A A9805A	PA-8700 650 Mhz	1-Sep-02 1-Mar-03	1-Feb-05	5 years after obsolescence date	64	64	N/A	64	No
rp5430 (formerly L1500)	A6797B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	5 years after obsolescence date	64	64	N/A	64	No
rp5450 (formerly L2000)	A5191B	PA-8500, PA-8600	1-Dec-00	1-May-02	5 years after obsolescence date	64	64	N/A	64	No
rp5470 (formerly L3000)	A6144B	PA-8600, PA-8700	1-Nov-01	5-Sep-05	5 years after obsolescence date	64	64	N/A	64	No
<b>Server model (Rows in order by server model)</b>	<b>Product number</b>	<b>Processor description</b>	<b>Introduction date</b>	<b>Obsolescence date—Off CPL</b>	<b>Minimum support commitment</b>	<b>11.01, 2</b>	<b>HP-UX 11i v1 (B.11.11)2,3 Renamed as v1 on Jan. 1, 2003</b>	<b>HP-UX 11i v2 (B.11.22) Integrity only</b>	<b>HP-UX 11i v2 (B.11.23)2,3 HP 9000 and Integrity</b>	<b>HP-UX 11i v3 (B.11.31) HP 9000 and Integrity</b>
rp7400	A3639C		1-Sep-01	14-Apr-03	5 years after obsolescence date	64	64	N/A	64	No
rp7405	A7111A A7112A A7113A	PA-8700 650 Mhz	1-Sep-02	1-Jul-04	5 years after obsolescence date	N/A	64	N/A	64	Yes
rp7410	A6752A	PA-8700	1-Feb-02	1-Feb-05	5 years after obsolescence date	N/A	64	N/A	64	Yes
rp7420	A7025A AB205A AB206A AB207A AB208A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz	PA-8800 1-Feb- 04 PA-8900 1- May-05	PA-8800 14-Aug-2006 PA-8900 1-Mar-2008	5 years after obsolescence date	No	Yes	No	64	Yes
rp8400	A6093A	PA-8700	1-Aug-01	1-Feb-05	5 years after obsolescence date	N/A	64	N/A	64	Yes
rp8420	A6912A AD006A AD007A AD008A	PA-8800 1.0GHz 900MHz PA-8900 1.1GHz 1.0GHz PA-8900 1.1GHz 1.0GHz	PA-8800 1- Dec-2003 PA- 8900 1-May- 2005 1-May-05	PA-8800 1-Aug-2006 PA-8900 1-Mar-2008 1-Mar-08	5 years after obsolescence date 5 years after obsolescence date	No	64	N/A	64	Yes

	AD009A									
	AD010A									
rp7440	A9959A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	5 years after obsolescence date	No	Yes	No	64	Yes
	AD026A									
	AD027A									
	AD028A									
	AD029A									
rp8440	A9958A	PA-8900 1.068GHz 533MHz FSB	1-Feb-07	1-Jan-09	5 years after obsolescence date	No	Yes	No	64	Yes
	AD031A									
	AD032A									
	AD033A									
	AD034A									
	AD035A									

Server model (Rows in order by server model)	Product number	Processor description	Introduction date	Obsolescence date— Off CPL	Minimum support commitment	11.01, 2	HP-UX 11i v1 (B.11.11)2,3 Renamed as v1 on Jan. 1, 2003	HP-UX 11i v2 (B.11.22) Integrity only	HP-UX 11i v2 (B.11.23)2,3 HP 9000 and Integrity	HP-UX 11i v3 (B.11.31) HP 9000 and Integrity
T500	A2339A	PA-7100	1-Oct-93	1-Nov-97	5 years after obsolescence date	32	32	N/A	N/A	No
T520	A3310A	PA-7150	1-Sep-95	1-Feb-98	5 years after obsolescence date	32	32	N/A	N/A	No
T600	A3329A	PA-8000	1-Apr-97	1-Aug-99	5 years after obsolescence date	32 and 64	32 and 64	N/A	N/A	No
V2200	A3726A	PA-8200	1-May-97	1-Sep-99	5 years after obsolescence date	64	64	N/A	N/A	No
V2250	A5081A	PA-8200	1-Mar-98	1-Jul-00	5 years after obsolescence date	64	64	N/A	N/A	No
V2500	A5074A	PA-8500	1-Dec-98	1-Jan-01	5 years after obsolescence date	64	64	N/A	N/A	No
V2600	A5824A	PA-8600	1-Dec-99	1-Dec-01	5 years after obsolescence date	64	64	N/A	N/A	No
EPS 40		PA-8200/ V2200	1-Feb-98	TBD	5 years after obsolescence date	N/A	N/A	N/A	N/A	No

**HP 9000 Superdome - both HP 9000 and Integrity Superdome systems are covered under solution product A5200A**

HP 9000 Superdome Server specifics with introduction and obsolescence dates (last date server offered for sale)  
 All models run HP-UX 11i v1 - in 64-bit mode only - , v2 (B.11.23) and v3 (B.11.31).  
 No model runs HP-UX 11i v2 (B.11.22) or 11.0.

Further service extensions are possible beyond the minimum support commitment<sup>5</sup>

Cabinet product	Cabinet capacity	Cabinet intro date	Chipset	Cell board	Chipset-cell board intro	Chipset- cell board obsolescence date	Processor name	Processor product	Processor intro date	Processor obsolescence date—Off CPL	Minimum support commitment
A6113A	16 processors	1-Aug-00	Yosemite	A5206A	1-Aug-06	1-Sep-02	4 x PA-8600 552 Mhz processor	A6161A - Right to Use	1-Aug-00	1-Sep-02	5 years after obsolescence date
A5201A	32 processors	1-Aug-00		A6445A	1-Aug-01	1-Nov-04	4 x PA-8700 750 Mhz processor	A6441A - Right to Use	1-Aug-01	1-Nov-04	
A5202A	64 processors	1-Aug-00		A6862A	17-Jun-02	1-Apr-06	4 x PA-8700+ 875 Mhz processor	A6885A - Right to Use	17-Jun-02	1-Apr-06	
A6113A	16 processors	1-Aug-00	sx2000 Arches	A9837A	1-Feb-06	1-Nov-10	PA-8900	A9853A	1-Feb-07	1-Jan-10	5 years after obsolescence date
A5201A	32 processors	1-Aug-00									
A5202A	64 processors	1-Aug-00									
A6113A	16 processors	1-Aug-00	sx1000 - Pinnacles	A6866A sx1000 - Pinnacles cell board	1-May-05	1-Apr-09	PA-8800	AB520A	1-Dec-04	1-Dec-06	5 years after obsolescence date
A5201A	32 processors	1-Aug-00									
A5202A	64 processors	1-Aug-00						PA-8900	AB367A	14-Feb-05	1-Apr-09

## Notes

- TBD means "To be determined"
- Yes means "This version of HP-UX 11i supports the designated server".
- HP-UX 11i v2 and v3 supports only the 64-bit version of the HP-UX kernel.
- NA means "Not applicable"

<sup>1</sup> Since HP-UX 11.0 is the first to support 64 bits, prior versions are 32-bit only.

<sup>2</sup> 32 and 64 means a 64-bit PA8x00-based system can run either 32- or 64-bit versions of HP-UX 11.x and 32- and 64-bit applications

<sup>3</sup> 64 means runs on 64-bit PA8x00 systems only, but can run 32- and 64-bit applications.

<sup>4</sup> Local support dates may vary. Please contact your local support representative for further information

<sup>5</sup> Please contact your local HP support representative for detailed information on end of server support dates.

Revision History	
Date	Details of Change
Dec 2011	<ul style="list-style-type: none"> <li>- Added product numbers AH234A, AH235A to rx2660</li> <li>- Updated September 2011 as the latest HP-UX 11i v3 fusion release on HP 9000 and HP Integrity</li> </ul>
Nov 2011	<ul style="list-style-type: none"> <li>- Updated end of sale and end of support date for HP-UX 11i v3 on Integrity</li> <li>- Update minimum support commitment dates for HP Integrity and HP 9000 Servers</li> <li>- FINAL End of Support Life (EOSL) – or – End of Contract Availability (ECA) information for Integrity and HP 9000 removed</li> <li>- Updated error in representing A5201A and A5202A on page 8</li> </ul>
Aug 2011	<ul style="list-style-type: none"> <li>- Updated 32s SD2</li> </ul>
July 2011	<ul style="list-style-type: none"> <li>- Updated availability of HP-UX 11i v3 fusion release versions September 2010 and March 2011</li> <li>- Updated HP-UX 11i v3 end of sale date</li> <li>- Added rx2800 i2 and SD2 as supported servers</li> <li>- Added details to processor specs for BL8x0c, BL8x0c i2, rx2660, rx3600</li> </ul>
March 2011	<ul style="list-style-type: none"> <li>- Updated end of factory support date for HP-UX 11i v3</li> </ul>
October 2010	<ul style="list-style-type: none"> <li>- Updated Obsolescence date for BL60p</li> <li>- Updated end of support dates for the following servers: D250, D260, D270, D280, D350, D360, D370, D380, D390, R380, R390, L1000, L2000, L3000, rp5400, rp5450, N4000, rp7400, rp7420, rp8420, BL60p, cx2620, Integrity Superdome</li> </ul>
May 2010	HP-UX 11i v3 end-of-sales date extended two years to December 31, 2014
April 2010	Integrity BL860c, BL870c, BL890c i2 blade servers added - Tukwila-based Integrity servers
March 2010	HP-UX March 2010 update release added to HP-UX 11i v3
November 2009	<ul style="list-style-type: none"> <li>- HP 9000 N4000 part #s A3639A/A3639B corrected: HP-UX 11.23 (Version 2) is supported</li> <li>- rp3410 and rp3440: support until date extended to Dec. 31, 2014</li> <li>- Integrity rx7640, rx8640 obsolescence date now Mar 31, 2012; support-until date Mar 31, 2017</li> <li>- Montvale Superdome obsolescence date now Sept 30, 2012, support-until date Sept 30, 2017</li> <li>- rx1600, rx1620, rx2620 - extended support until Dec 31, 2014</li> <li>- HP-UX Added the September 2009 update release for HP-UX 11i v3</li> </ul>
July 2009	<ul style="list-style-type: none"> <li>- Integrity BL860c, BL870c obsolescence now 6/30/2011 with 'support at least until' 6/30/2016</li> <li>- (Montvale) rx2660, rx3600, rx6600, rx7640, rx8640 and Superdome obsolescence 12/31/11, support until 12/31/16</li> </ul>

Share with colleagues     



**Get connected**  
www.hp.com/go/getconnected

Current HP driver, support, and security alerts delivered directly to your desktop

Become a fan on  »

Follow on  »

© Copyright 2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

Last revised November 2011

